

Gnich W, Sheehy C, **Amos A**, Bitel M, Platt S. A Scotland-wide pilot programme of smoking cessation services for young people: process and outcome evaluation. *Addiction*. 2008; 103, 1866-1874

Fowkes F J I, Stewart M C W, Fowkes G R, **Amos A**, Price J F. Scottish smoke-free legislation and trends in smoking cessation. *Addiction*. 2008; 103, 1888-1895.

Leonardi-Bee J, Smyth A, **Britton J, Coleman T**. Environmental tobacco smoke and fetal health: systematic review and meta-analysis. *Arch Dis Child Fetal Neonatal Ed* 2008; 93:F351-F361.

Al-Chalabi L, Prasad N, Steed L, Stenner S, **Aveyard P**, Beach J, Ussher M. A pilot randomised controlled trial of the value of bodyscan and isometric exercises in reducing urge to smoke in smokers attempting to quit. *BMC Public Health*, 2008;8:349.

Ussher M, **Aveyard P, Coleman T**, Straus L, West R, Marcus B, Lewis B, Manyonda I. Physical activity as an aid to smoking cessation during pregnancy: Two feasibility studies. *BMC Public Health* 2008;8:328.

David SP, **Munafo M**, Johnstone E, **Aveyard P**, Guo B, Murphy M, Lerman C. Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: new data from the Patch in Practice Trial and pooled analyses. *Drug & Alcohol Dependence* 2008;98:77-85.

Jackson D, Aveyard P. Waterpipe smoking in students: prevalence, risk factors, symptoms of addiction, and smoke intake. Evidence from one British university. *BMC Public Health* 2008;8:174.

Aveyard P, Johnson C, Fillingham S, Parsons A, Murphy M. A pragmatic randomised controlled trial of nortriptyline plus nicotine replacement versus placebo plus nicotine replacement for smoking cessation. *BMJ* 2008;336:1223-1227.

Munafo M, Johnstone E, Murphy M, Guo B, **Aveyard P**. Association of COMT Val108/158Met genotype with smoking cessation. *Pharmacogenetics and Genomics* 2008;18:121-8

Wang D, Connock M, Barton P, Fry-Smith A, **Aveyard P**, Moore D. Cut down to quit with nicotine replacement therapies (NRT) in smoking cessation: systematic review of effectiveness and economic analysis. *Health Technology Assessment*, 2008: vol 12(2).

Markham WA, **Aveyard P**, Bisset SL, Lancashire ER, Deakin S. Value-added education and smoking uptake in schools: a cohort study. *Addiction* 2008;103:155-161.

Wong P, **Aveyard P**. Combination treatment in smoking cessation. Is there an optimal regimen? *European Respiratory Review* 2008;4:20-24.

Aveyard P. The place of varenicline in smoking cessation. (Editorial). *Thorax* 2008;63:666-668.

Murray RL, **Coleman T**, Antoniak M, Stocks J, Fergus A, **Britton J, Lewis SA**. The potential to improve ascertainment and intervention to reduce smoking in primary care: a cross sectional survey. *BMC Health Serv Res*. 2008 Jan 11;8:6.

Fogarty AW, Glancy C, Jones S, **Lewis SA**, McKeever TM, **Britton JR**. A prospective study of weight change and systemic inflammation over 9 years. *Am J Clin Nutr*. 2008 Jan;87(1):30-5.

Murray R, **Coleman T**, Antoniak M, Stocks J, Fergus A, **Britton J** and **Lewis S** . The effect of proactively identifying smokers and offering smoking cessation support in primary care populations: a cluster-randomised trial. *Addiction* 2008;103(6):998-1006.

Coleman T. Reducing harm from tobacco smoke exposure during pregnancy. *Birth Defects Research. Part C, Embryo Today:Reviews* 2008; 84(1):73-9.

Coleman T. Smoking cessation: promotion in primary care. *BMJ Learning* 2008

Hassan LM, Shiu E, Thrasher JR, Fong GT and **Hastings G**. Exploring the effectiveness of cigarette warning labels: Findings from the United States and United Kingdom arms of the International Tobacco Control (ITC) Four Country Survey. *International Journal of Nonprofit and Voluntary Sector Marketing*, 2008; 13(3): 263-274.

Grant IC, Hassan L, **Hastings G**, MacKintosh AM and Eadie D. The influence of branding on adolescent smoking behaviour: Exploring the mediating role of image and attitudes. *International Journal of Nonprofit and Voluntary Sector Marketing*, 2008; 13(3): 275-285.

Moodie C, MacKintosh AM, Brown A and **Hastings G** (2008). Tobacco marketing awareness on youth smoking susceptibility and perceived prevalence before and after an advertising ban. *European Journal of Public Health*, 18(5): 484-490.

Hastings G (contributing author) to Davis RM, Gilpin EA, Loken B, Viswanath K and Wakefield MA (eds) (2008). *The Role of the Media in Promoting and Reducing Tobacco Use*. NCI Tobacco Control Monograph Series No. 19. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute. NIH Publication No. 07-6242, June.

Hastings G. The wolf dons its fleece: Corporate social responsibility by the tobacco industry. Paper prepared for the Framework Convention Alliance, in preparation for the Conference of the Parties, November 2008.

Hammond D, Reid J, Driezen P, Cummings KM, Borland R, Fong GT, McNeill A. Use of nicotine replacement therapy for reasons other than stopping smoking: Findings from the International Tobacco Control Policy Evaluation Study. *Addiction*, 2008; 103: 1696-1703

Shahab L, **West R**, **McNeill A**. The feasibility of measuring puffing behaviour in roll-your-own smokers. *Tobacco Control*, 2008; 17 (Suppl 1): i17-i23.

O'Connor RJ, Hammond D, **McNeill A**, King B, Kozlowski LT, Giovino GA, Cummings KM. How do different cigarette design features influence standard tar yields of popular cigarette brands sold in different countries? *Tobacco Control*, 2008; 17 (Suppl 1): i1-i5.

Shahab L, Hammond D, O'Connor RJ, Cummings KM, Borland R, King B, McNeill A. The reliability and validity of self reported puffing behaviour: evidence from a cross-national study. *Nicotine and Tobacco Research*, 2008; 10: 867-874

Ratschen E, **Britton J**, **McNeill A**. A Smoke-free National Health Service: A study of the implementation of smoke-free policy in hospitals in England. *BMC Health Service Research* 2008 Feb 18; 8: 41.

Campion J, Checinski C, Nurse J, **McNeill A**. Smoking by people with mental illness and benefits of smoke-free mental health services. *Advances in Psychiatric Treatment*, 2008;14:217-228.

Borland R, Fong GT, Yong HH, Cummings KM, Hammond D, Siahpush M, **McNeill A** et al. What Happened to Smokers' Beliefs about Light Cigarettes When "Light/Mild" Brand Descriptors Were Banned in the UK? Findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2008 Apr 21.

West R, Baker CL, Cappelleri JC, Bushmakin AG. Effect of varenicline and bupropion SR on craving, nicotine withdrawal symptoms, and rewarding effects of smoking during a quit attempt. *Psychopharmacology*, 2008; 197, 371-377.

Etter JF, Lukas R, Benowitz N, **West R**, Dresler C. Cytisine for smoking cessation: a research agenda. *Drug and Alcohol Dependence*, 2008; 92, 3-8.

Fidler JA, **West R**, van Jaarsveld C, Jarvis MJ, Wardle J. Smoking status of step parents as a risk factor for smoking in adolescence. *Addiction*, 2008; 103, 496-501.

Thyrian J, Panagiotakos D, Polychronopoulos E, **West R**, Zatonski W, John U. The relation between smokers motivation to quit and intensity of tobacco control at the population level; a comparison of five European countries. *BMC Public Health*. 2008, 8, 2.

Hall W, **West R**. Thinking about the unthinkable a de facto prohibition on smoked tobacco products. *Addiction* 2008, 103, 873-874.

McEwen A, **West R**, McRobbie H. Motives for smoking and their correlates in clients attending Stop Smoking treatment services. *Nicotine and Tobacco Research* 2008 ; 10, 843-50.

West R, West A. Vers un modele synthetique de la motivation (thorie PRIME) et son application dans la comprehension des addictions. *Alcoologie et Addictologie*, 2008 ; 30, 37-45.

Jarvis MJ, Fidler J, Mindell J, Feyerabend C, **West R**. Assessing smoking status in children, adolescents and adults: cotinine cutpoints revisited. *Addiction*. 2008, 103, 1553-1561.

West R, Stapleton J. Clinical and public health significance of treatments to aid smoking cessation. *European Respiratory Review* 2008; 17, 1-6.

Vangeli E, **West R**. Sociodemographic differences in triggers to quit smoking: Findings from a national survey. *Tobacco Control*, 2008; 17, 410-415.

West R, Townsend J, Joossens L, Arnott D, **Lewis S** Why combating tobacco smuggling is a priority: Tobacco smuggling is killing many times more people in the UK than smuggling of all illicit drugs put together. *British Medical Journal* 2008, 337, 1933.

Amos A . Sanchez s, Skar M, White P. Exposing the Evidence- Women and Secondhand Smoke in Europe. Brussels, 2008, INWAT/ENSP.

Pritchard C, **McNeill A**. Are smoke-free buildings and grounds in mental health units a realistic aspiration? *Mental Health Review Journal*, 2008; 13:27-32.

Lewis S, Haw S, **McNeill A**. The impact of the 2006 Scottish smoke-free legislation on sales of nicotine replacement therapy. *Nicotine Tob Res*. 2008 10:1789-92.

Hastings G, MacKintosh AM, Holme I, Davies K, Angus K and Moodie C. Point of Sale Display of Tobacco Products. London: Cancer Research UK, August 2008.

Guo B, **Aveyard P**, Fielding A, Sutton S. Testing the convergent and discriminant validity of decisional balance scale of the Transtheoretical Model using the multi-trait multi-method approach. *Psychology of Addictive Behaviors*, 2008;22:288-294.

McRobbie H, **Hajek P**, Feder G, Eldridge S. A cluster-randomised controlled trial of a brief training session to facilitate General Practitioner referral to smoking cessation treatment. *Tobacco Control*, 2008; 17:173-176

McRobbie H, **Hajek P**, Locker J. Does the reaction of abstaining smokers to the smell of other people's cigarettes predict relapse? *Addiction*, 2008;103, 1883-1887

Hajek P, Stead LF, **West R**, Jarvis M. Relapse prevention interventions for smoking cessation. *The Cochrane Library*, 2008; New update of the previous Review

Parsons A, Shraim M, Inglis J, **Aveyard P**, **Hajek P**. Interventions for preventing weight gain after smoking cessation, 2008; *The Cochrane Library*

National Institute of Health and Clinical Excellence (NICE). Public Health Guidance 10. Smoking Cessation Services (**P Hajek** is member of Programme Development Group)

Gilmore A, Britton J, Arnott D, Ashcroft R, Jarvis MJ. The place for harm reduction and product regulation in UK tobacco control policy. *Journal of Public Health* 2008; 31: 3-10.

Danishevski D, **Gilmore A**, McKee M. Survey of public attitudes towards smoking and tobacco control policy in Russia. *Tobacco Control* 2008; 17: 276-283.
<http://tobaccocontrol.bmj.com/content/17/4/276.full>

Grüning T, Strünck C, **Gilmore A**. 'Puffing away? Politics of tobacco control in Germany'. *German Politics* 2008; 17: 140-164.
<http://www.informaworld.com/smpp/section?content=a793639687&fulltext=713240928>

Bachinger E, McKee M, **Gilmore A**. Tobacco Policies in Nazi Germany: Not As Simple As It Seems. *Public Health*. 2008; 122: 497-505.
http://www.ncbi.nlm.nih.gov/pubmed/18222506?ordinalpos=2&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief

Lee K, Kinh HV, MacKenzie R, **Gilmore A**, Collin J. Gaining access to Vietnam's cigarette market: British American Tobacco's strategy to enter 'a huge market which will become enormous'. *Global Public Health* 2008; 3: 1-25.