



UK Centre for

Tobacco Control Studies

A UKCRC Public Health Research Centre of Excellence

Publications submitted within annual report period April 2011 to March 2012

Peer reviewed:

March

David SP, Johnstone EC, Churchman M, Aveyard P, Murphy MFG, Munafo MR. Pharmacogenetics of smoking cessation in general practice: results from the patch II and patch in practice trials. *Nicotine and Tobacco Research*, 2011 Mar;13(3):157-67. doi: 10.1093/ntr/ntq246.

Parsons A, Lycett D, Aveyard P. Response to Spring et al: What is the best method to assess the effect of combined interventions for smoking cessation and post cessation weight gain? (Letter) *Addiction*, 2011 Mar;106:675-6. doi: 10.1111/j.1360-0443.2010.03255.x.

April

Hajek P, McRobbie H, Myers K, Dhanji A, Stapleton J. Use of varenicline for four weeks before quitting smoking. Decrease in ad-lib smoking and increase in smoking cessation rates. *Archives of Internal Medicine*, 2011 Apr 25;171(8):770-7. doi:10.1001/archinternmed.2011.138.

Jarvis MJ, Sims M, Gilmore A, Mindell J. Impact of smoke-free legislation on children's exposure to passive smoking: cotinine data from the Health Survey for England. *Tobacco Control*, 2011 Apr 27. doi: 10.1136/tc.2010.041608.

May

Szatkowski L, Lewis S, McNeill A, Coleman T. A comparison of patient recall of smoking cessation advice with advice recorded in electronic medical records BMC Public Health, 2011 May 10;11:291. doi:10.1186/1471-2458-11-291.

Szatkowski L, Coleman T, McNeill A, Lewis S. The impact of the introduction of smokefree legislation on prescribing of stop-smoking medications in England. *Addiction*, 2011 May 11. doi: 10.1111/j.1360-0443.2011.03494.x.

Taylor M, Agboola S, Leonardi-Bee J, McNeill A, Coleman T. Cost Effectiveness of Interventions to Reduce Relapse to Smoking Following Smoking Cessation. *Addiction*, 2011 May 11. doi: 10.1111/u.1360-0443.2011.03493.x.

Szatkowski L, Lewis S, McNeill A, Huang Y, Coleman T. Can data from primary care medical records be used to monitor national smoking prevalence? *Journal of Epidemiology & Community Health*, 2011 May 13. doi:10.1136/jech.2010.120154.

Freathy RM, Kazeem GR, Morris RW, Johnson PC, Paternoster L, Ebrahim S, Hattersley AT, Hill A, Hingorani AD, Holst C, Jefferis BJ, Kring SI, Mooser V, Padmanabhan S, Preisig M, Ring SM, Sattar N, Upton MN, Vollenweider P, Waeber G, Sørensen TI, Frayling TM, Watt G, Lawlor DA, Whincup PH, Tozzi F, Davey Smith G, Munafo M. Genetic variation at CHRNA5-CHRNA3-CHRNA4 interacts with smoking status to influence body mass index. *Int J Epidemiol*, 2011 May 18. doi: 10.1093/ije/dyr077.

Lycett D, Munafo M, Johnstone E, Murphy M, Aveyard P. Associations between weight change over eight years and baseline body mass index in a cohort of continuing and quitting smokers. *Addiction*, 2011 May 26;106:188-196. doi: 10.1111/j.1360-0443.2010.03136.x.

Lycett D, Munafo MR, Johnstone EC, Murphy MFG, Aveyard P. Weight change over eight years in relation to alcohol consumption in a cohort of continuing smokers and quitters. *Nicotine and Tobacco Research*, 2011 May 26. doi: 10.1093/ntr/ntq092.

Mir H, Buchanan D, Gilmore A, McKee M, Yusuf S, Chow K. Cigarette pack labelling in 12 countries at different levels of economic development. *Journal of Public Health Policy*. 2011 May;32(2):146-64. doi:10.1057/jphp.2011.3;.

June

Owusu-Dabo E, Lewis S, McNeill A, Gilmore A, Britton J. Support for smoke-free policy, and awareness of tobacco health effects and use of smoking cessation therapy in a developing country. *BMC Public Health*, 2011 Jun;106(6):1166-75. doi: 10.1111/j.1360-0443.2011.03402.x.

Jones L, Atkinson O, Longman J, Coleman T, McNeill A, Lewis SA. The motivators and barriers to a smoke-free home among disadvantaged caregivers: identifying the positive levers for change. *Nicotine & Tobacco Research*, 2011 Jun;13(6):479-86. doi: 10.1093/ntr/ntr030.

Highe G, Ritchie D, Platt S, Amos A, Hargreaves K, Martin C, White M. The re-shaping of the life-world: male British Bangladeshi smokers and the English smoke-free legislation. *Ethnicity and Health*, 2011 Jun 13:1-15. doi:10.1080/13557858.2011.578734.

Myers K, Hajek P, Hinds C, McRobbie H. Stopping smoking shortly before surgery and postoperative complications: A systematic review and meta-analysis. *Archives of Internal Medicine*, 2011 Jun 13;171(11):983-9. doi:10.1001/archinternmed.2011.97.

Grüning T, Weishaar H, Collin J, Gilmore A. Tobacco industry attempts to influence and use the German government to undermine the WHO Framework Convention on Tobacco Control. *Tobacco Control*, 2011 Jun 15. doi:10.1136/tc.2010.042093.

Soler Artigas M, Wain L, Repapi E, Obeidat M, Sayers I, Burton P, Johnson T, Zhao J, Albrecht E, Dominiczak A, Kerr S, Smith B, Cadby G, Hui J, Palmer L, Hingorani AD, Wannamethee S, Whincup P, Ebrahim S, Davey Smith G, Barroso I, Loos R, Wareham N, Cooper C, Dennison E, Shaheen S, Liu J, Marchini J, The NSHD Respiratory Study Team, Dahgam S, Naluai A, Olin A-C, Karrasch S, Heinrich J, Schulz H, McKeever T, Pavord I, Heliövaara M, Surakka I, Blakey J, Kähönen M, Britton J, Nyberg F, Holloway J, Lawlor D, Morris R, James A, Jackson C, Hall I, Tobin M, SpiroMeta Consortium. Effect of 5 genetic variants associated with lung function on the risk of COPD, and their joint effects on lung function. *Am J Respir Crit Care Med*, 2011 Jun 16. doi:10.1164/rccm.201102-0192OC.

Fidler J, Shahab L, West O, Jarvis M, McEwen A, Stapleton J, Vanegli E, West R. 'The Smoking Toolkit Study': A national study of smoking and smoking cessation in England. *BMC Public Health*, 2011 Jun 18;11:479. doi: 10.1186/1471-2458-11-479.

Munafò R, Johnstone EC, Walther D, Uhl GR, Murphy MFG, Aveyard P. CHRNA3 rs1051730 genotype and short-term smoking cessation. *Nicotine and Tobacco Research*, 2011 Jun 20. doi:10.1093/ntr/ntr106.

Begh RA, Aveyard P, Upton P, Bhopal RS, White M, Amos A, Prescott RJ, Bedi R, Barton P, Fletcher M, Gill P, Zaidi Q, Sheikh A. Experiences of outreach work in promoting smoking cessation to Bangladeshi and Pakistani men: longitudinal qualitative evaluation. *BMC Public Health*, 2011 Jun 9;11(1):452. doi:10.1186/1471-2458-11-452.

Tobler A.L, Komro K.A, Dabroski A, Aveyard P, Markham W. Preventing the link between SES and high-risk behaviors: "Value-added" education, drug use and delinquency in high-risk, urban schools. *Prevention Science*, 2011 Jun;12(2):211-21. doi 10.1007/s11121-011-0206-9.

July

Langley T, Huang Y, Lewis S, McNeill A, Coleman T, Szatkowski L. Prescribing of smoking cessation medication in England since the introduction of varenicline. *Addiction*, 2011 Jul;106(7):1319-24. doi: 10.1111/j.1360-0443.2011.03426.x.

Ussher M, Aveyard P, Reid F, West, R, Evans P, Clow A, Hucklebridge F, Fuller J, Ibison J, Steptoe A. A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. *Psychopharmacology (Berl)*, 2011 Jul;216(1):43-51. doi:10.1007/s00213-011-2191-x.

Bajoga U, Lewis S, McNeill A, Szatkowski L. Does the introduction of smokefree legislation lead to a decrease in population smoking prevalence? *Addiction*, 2011 Jul;106(7):1346-54. doi: 10.1111/j.1360-0443.2011.03446.x.

Shahab L, McEwen A, West R. Acceptability and effectiveness for withdrawal symptom relief of a novel oral nicotine delivery device: a randomised crossover trial. *Psychopharmacology*, 2011 Jul;216(2):187-96. doi: 10.1007/s00213-011-2204-9.

Lewis SJ, Araya R, Smith GD, Freathy R, Gunnell D, Palmer T, Munafò M. Smoking is associated with, but does not cause, depressed mood in pregnancy-a mendelian randomization study. *PLoS One*, 2011 July 19;6(7):e21689. doi:10.1371/journal.pone.0021689.

August

Langley T, Huang Y, Lewis S, McNeill A, Coleman T, Szatkowski L. Prescribing of nicotine replacement therapy to adolescents in England. *Addiction*, 2011 Aug;106(8):1513-9. doi: 10.1111/j.1360-0443.2011.03449.x.

Grant Braham B, Britton J. Motor racing, tobacco company sponsorship, barcodes and alibi marketing. *Tob Contro*, 2011 Aug 5. doi:10.1136/tc.2011.043448.

Jackson A, McKinstry B, Gregory S, Amos A. A qualitative study exploring the reasons for non-participation in cardiac rehabilitation and coronary heart disease self-help groups, and the experience of rehabilitation without these resources. *Primary Health Care Research and Development*, 2011 Aug 8:1-12. doi:10.1017/S1463423611000284.

Begh RA, Aveyard P, Upton P, Bhopal RS, White M, Amos A, Prescott RJ, Bedi R, PM Barton, Fletcher M, Gill P, Zaidi Q, Sheikh A. Promoting smoking cessation in Pakistani and Bangladeshi men in the UK: pilot cluster randomised controlled trial of trained community outreach workers. *Trials*, 2011 Aug 19;12:197. doi:10.1186/1745-6215-12-197.

Borland R, Cooper J, McNeill A, O'Connor R, Cummings KM. Trends in beliefs about the harmfulness and use of stop-smoking medications and smokeless tobacco products among cigarette smokers. Findings from the ITC four-country survey. *Harm Reduction Journal*, 2011 Aug 23;8:21. doi:10.1186/1477-7517-8-21.

Bogdanovica I, McNeill A, Murray R, Britton J. What factors influence smoking prevalence and smoke free policy enactment across the European Union Member States. *PLOS One*, 2011;6(8):e23889. Epub 2011 Aug 31. doi:10.1371/journal.pone.0023889.

September

Munafò MR, Flint J. Dissecting the genetic architecture of human personality. *Trends Cogn Sci*, 2011 Sep;15(9):395-400. doi:10.1016/j.tics.2011.07.007.

Kotz D, Fidler J, West R. Did the introduction of varenicline in England substitute for or add to the use of other smoking cessation medications? *Nicotine & Tobacco Research*, 2011 Sep;13(9):793-9. doi: 10.1093/ntr/ntr075.

Diaper A, Nutt DJ, Munafó MR, White JL, Farmer EW, Bailey JE. The effects of 7.5% carbon dioxide inhalation on task performance in healthy volunteers. *J Psychopharmacol*, 2011 Sep 2. doi: 10.1177/0269881111415729.

Hitchman SC, Mons U, Nagelhout GE, Guignard R, McNeill A, Willemsen MC, Driezen P, Wilquin J-L, Beck F, Du-Roscoat E, Potschke-Langer M, Hammond D, Fong GT. Effectiveness of the standardised European Union text-only cigarette health warnings: findings from four countries. *Eur J Public Health*, 2011 Sep 15 doi: 10.1093/eurpub/ckr099.

Saraceno L, Heron J, Munafò M, Craddock N, van den Bree MB. The relationship between childhood depressive symptoms and problematic alcohol use in early adolescence: findings from a large longitudinal population-based study. Alcohol problems in depressed boys and girls. *Addiction*, 2011 Sep 21. doi: 10.1111/j.1360-0443.2011.03662.x.

West R, Zatonski W, Cedzynska M, Lewandowska D, Pazik J, Aveyard P, Stapleton J. Randomised placebo-controlled trial of cytisine for smoking cessation. *N Engl J Med*, 2011 Sep 29;365(13):1193-200.

October

Coleman T & Bauld L. Preventing adolescents' uptake of smoking. *Thorax* 2011 Oct;66(10):842-4. doi:10.1136/thx.2011.161042.

Leonardi-Bee J, Jere ML, Britton J. Exposure to parental and sibling smoking and the risk of smoking uptake in childhood and adolescence: a systematic review and meta-analysis. *Thorax*, 2011 Oct;66(10):847-55. doi:10.1136/thx.2010.153379.

Lyons A, McNeill A, Gilmore I, Britton J. Alcohol imagery and branding, and age classification of films popular in the UK. *Int J Epidemiol*, 2011 Oct;40(5):1411-9. doi:10.1093/ije/dyr126.

Munafò MR, Johnstone EC, Walther D, Uhl GR, Murphy MF, Aveyard P. CHRNA3 rs1051730 Genotype and Short-Term Smoking Cessation. *Nicotine Tob Res*, 2011 Oct;13(10):982-8. doi: 10.1093/ntr/ntr106.

Brose L, West R, McDermott M, Fidler J, Croghan E, McEwen A. What makes for an effective stop-smoking service? *Thorax*, 2011; Oct;66(10):924-6. doi:10.1136/thoraxjnl-2011-200251.

Langley TE, Szatkowski LC, Wythe S, Lewis SA. Can primary care data be used to monitor regional smoking prevalence? An analysis of The Health Improvement Network primary care data. *BMC Public Health*, 2011 Oct 7;11:773. doi:10.1186/1471-2458-11-773.

Borland R, Li L, Mortimer K, McNeill A, King B, O'Connor RJ. The acceptability of nicotine containing products as alternatives to cigarettes: Findings from two pilot studies. *Harm Reduct J*, 2011 Oct 12;8:27. doi:10.1186/1477-7517-8-27.

November

West O, Hajek P, McRobbie H. Systematic review of the relationship between the 3-hydroxycotinine/cotinine ratio and cigarette dependence. *Psychopharmacology (Berl)*, 2011 Nov;218(2):313-22. doi: 10.1007/s00213-011-2341-1.

Taylor EM, Greene NM, Morgan C, Munafò MR. Association of study characteristics with estimates of effect size in studies of ecstasy use. *J Psychopharmacol*, 2011 Nov;25(11):1573-7.

Hajek P, Myers K, Dhanji A, West O. Weight change during and after Ramadan fasting. *J Public Health (Oxf)*, 2011 Nov 13. doi: 10.1093/pubmed/fdr087.

Bains M, Venn A, Murray RL, McNeill A, Jones LL. A qualitative exploration of smokers' views regarding aspects of a community-based mobile stop smoking service in the United Kingdom. *BMC Public Health*, 2011 Nov 16;11:873. doi:10.1186/1471-2458-11-873.

December

Beard E, McNeill A, Aveyard P, Fidler J, Michie S, West R. Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. *Tobacco Control*, 2011 Dec 1. doi 10.1136/tobaccocontrol-2011-050007.

Amos A, Greaves L, Nichter M, Bloch M. Women and tobacco: A call for including gender in tobacco control research, policy and practice. *Tobacco Control*, 2011 Dec 13. doi:10.1136/tobaccocontrol-2011-050280.

Aveyard P, Begh R, Parsons A, West R. Brief opportunistic smoking cessation interventions: a systematic review and meta-analysis to compare advice to quit and offer of assistance. *Addiction*, 2011 Dec 16. doi: 10.1111/j.1360-0443.2011.03770.x.

Beard E, McDermott M, McEwen A, West R. Beliefs of stop smoking practitioners in England on the use of nicotine replacement therapy for smoking reduction. *Nicotine Tob Res*, 2011 Dec 16.

Beard E, Vangeli E, Michie S, West R. The use of Nicotine Replacement Therapy for smoking reduction and temporary abstinence: An interview study. *Nicotine Tob Res*, 2011 Dec 21. doi: 10.1093/ntr/ntr297.

January

Jones LL, Hassanien A, Cook DG, Britton J, Leonardi-Bee J. Parental Smoking and the Risk of Middle Ear Disease in Children. A Systematic Review and Meta-analysis. *Arch Pediatr Adolesc Med*, 2012 Jan;166(1):18-27. doi:10.1001/archpediatrics.2011.158.

Spanolouslos D, Ratschen E, McNeill A, Britton J. Retail price and point of sale display of tobacco in the UK: A descriptive study of small retailers. *PLoS One*, 5Jan 2012;7:e29871. doi:10.1371/journal.pone.0029871.

Langley TE, Szatkowski L, McNeill A, Coleman T, Lewis S. Prescribing of nicotine replacement therapy to cardiovascular disease patients in England. *Addiction*, 2012 Jan 11. doi:10.1111/j.1360-0443.2012.03794.x.

Huang Y, Britton J, Hubbard R, Lewis S. Who receives prescriptions for smoking cessation medications? An association rule mining analysis using a large primary care database. *Tob Control*, 2012 Jan 13. doi:10.1136/tobaccocontrol-2011-050124.

Croucher RE, Shanbhag S, Dahiya M, Kassim S, McNeill A. Predictors of successful short-term tobacco cessation in UK resident female Bangladeshi tobacco chewers. *Addiction*, 2012 Jan 19. doi: 10.1111/j.1360-0443.2012.03819.x.

Borland R, Li L, Driezen P, Wilson N, Hammond D, Thompson ME, Fong GT, Mons U, Willemsen MC, McNeill A, Thrasher JF, Cummings KM. Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. *Addiction*, 2012 Jan;107(1):197-205. doi: 10.1111/j.1360-0443.2011.03636.x.

Bogdanovica I, Murray R, McNeill A, Britton J. Cigarette price, affordability and smoking prevalence in the European Union. *Addiction*, 2012 Jan;107(1):188-96. doi: 10.1111/j.1360-0443.2011.03588.x.

February

Nagelhout GE, de Vries H, Boudreau C, Allwright S, McNeill A, van den Putte B, Fong GT, Willemsen MC. Comparative impact of smoke-free legislation on smoking cessation in three European countries. *Eur J Public Health*, 2012 Feb;22 Suppl 1:4-9. doi: 10.1093/eurpub/ckr203.

Bauld L, Ferguson J, McEwen A, Hiscock R. Evaluation of a drop in rolling group model of support to stop smoking. *Addiction*, 2012 Feb 28. doi: 10.1111/j.1360-0443.2012.03861.x.

Hiscock R, Bauld L, Amos A, Fidler JA, Munafò M. Socioeconomic status and smoking: a review. *Ann N Y Acad Sci*, 2012 Feb;1248:107-23. doi: 10.1111/j.1749-6632.2011.06202.x.

McNeill A, Craig L, Willemsen M, Fong G. Tobacco control in Europe: A deadly lack of progress. *Eur J Public Health*, 2012 Feb;22 Suppl 1:1-3. doi: 10.1093/eurpub/ckr201.

Brown A, McNeill A, Mons U, Guignard. Do smokers in Europe think all cigarettes are equally harmful? *Eur J Public Health*, 2012 Feb;22 Suppl 1:35-40. doi:10.1093/Eurpub/ckr198.

Mons U, Nagelhout GE, Guignard R, McNeill A, van den Putte B, Willemsen MC, Brenner H, Potschke-Langer M, Breitling LP. Comprehensive smoke-free policies attract more support from smokers in Europe than partial policies. *Eur J Public Health*, 2012 Feb;22 Suppl 1:10-6. doi:10.1093/Eurpub/ckr202.

Murray RL, Leonardi-Bee J, Marsh J, Jayes L, Britton J. Smoking status ascertainment and interventions in acute medical patients. *Clin Med*, 2012 Feb;12(1):59-62.

Hiscock R, Bauld L, Amos A, Fidler J A, Munafò M. Socioeconomic status and smoking: a review. *Ann N Y Acad Sci*, 2012 Feb;1248(1):107-123. doi: 10.1111/j.1749-6632.2011.06202.x.

Caleyachetty A, Lewis S, McNeill A, Leonardi-Bee J. Struggling to make ends meet: exploring pathways to understand why smokers in financial difficulties are less likely to quit successfully. *Eur J Public Health*, 2012 Feb;22 Suppl 1:41-8. doi: 10.1093/eurpub/ckr199.

Hiscock R, Bauld L, Amos A, Platt S. Smoking and socioeconomic status in England: The rise of the never smoker and the disadvantaged smoker. *J Public Health (Oxf)*, 2012 Feb 28. doi: 10.1093/pubmed/fds012.

Scheffels J, Lund KE, McNeill A. Contrasting snus and NRT as methods to quit smoking. An observational study. *Harm Reduct J*, 2012 Feb 29;9(1):10. doi:10.1186/1477-7517-9-10.

March

Docherty G, McNeill A. The hardening hypothesis: does it matter? *Tob Control*, 2012 Mar;21(2):267-8. doi:10.1136/tobaccocontrol-2011-050382.

McNeill A, Hammond D, Gartner C. Whither tobacco product regulation? *Tob Control*, 2012 Mar;21(2):221-6. doi:10.1136/tobaccocontrol-2011-050258.

Coleman T, Cooper S, Thornton JG, Grainge MJ, Watts K, Britton J, Lewis S; Smoking, Nicotine, and Pregnancy (SNAP) Trial Team. A randomized trial of nicotine-replacement therapy patches in pregnancy. *N Engl J Med*, 2012 Mar 1;366(9):808-18.

Taskila T, MacAskill S, Coleman T, Etter JF, Patel M, Clarke S, Bridson R, Aveyard P. A Randomised trial of nicotine assisted reduction to stop in pharmacies -The RedPharm Study. *BMC Public Health*, 2012 Mar 12;12(1):182. doi:10.1186/1471-2458-12-182.

Ferguson J, Docherty G, Bauld L, Lewis S, Lorgelly P, Boyd K, McEwen A, Coleman T. Effect of offering different levels of support and free nicotine replacement therapy via an English national telephone quitline: randomised controlled trial. *BMJ*, 2012 Mar 23;344:e1696. doi: 10.1136/bmj.e1696.

Mills LM, Semple SE, Wilson IS, MacCalman L, Amos A, Ritchie D, O'Donnell R, Shaw A, Turner SW. Factors influencing exposure to secondhand smoke in pre-school children living with smoking mothers. *Nicotine Tob Res*, 2012 Mar 15. doi: 10.1093/ntr/nts074.

Owen R, Kendrick D, Mulvaney C, Coleman T, Royal S. Non-legislative interventions for the promotion of cycle helmet wearing by children. *Cochrane Database Systc Rev*, 2011 Issue 11. Art. No.: CD003985..DOI: 10.1002/14651858.CD003985.pub3.

Non peer reviewed:

Aveyard P. Benefits of medical treatment of obesity. Comment in *Lancet*, 2011 Mar 12;377(9769):903. doi:10.1016/S0140-6736(11)60349-8.

Aveyard P, Bauld L. Incentives for promoting smoking cessation: what we still do not know. (Editorial) *Cochrane Library*, 2011, 13 April: <http://www.thecochranelibrary.com/details/editorial/1052523/Incentives-for-promoting-smoking-cessation-what-we-still-do-not-know.html>.

Aveyard P, Begh R, Sheikh A, Amos A. Promoting smoking cessation through smoking reduction during Ramadan. (Editorial). *Addiction*, 2011 May 3. doi: 10.1111/j.1360-0443.2011.03432.x.

Aveyard P, Lindson N. Commentary on Chan et al: Smoking reduction: where are we now? (Commentary). *Addiction*, 2011 Jun;106(6):1164-5. doi: 10.1111/j.1360-0443.2011.03453.x.

Britton J. Taxing the tobacco industry: profits and prevention of the global smoking epidemic. *The Lancet*, 2011 Jun 18;377(9783):2063-4. doi:10.1016/S0140-6736(10)62040-5.

Myers K, Hajek P, McRobbie H. What is a reasonable threshold for worries about health risks? *Arch Intern Med*, 2011 Aug 8;171(15):1401; author reply 1401.

Lindson N, Aveyard P. Response to Rose (2011): nicotine preloading: the importance of pre-cessation reduction in smoking behaviour. (Letter). *Psychopharmacology*, 2011 Nov;218(2):459-60. doi:10.1007/s00213-011-2351-z.

Millett C, Hanewinkel R, Britton J, Florek E, Faggiano F, Ness A, McKee M, Polansky JR, Glantz SA. European governments should stop subsidizing films with tobacco imagery. *Eur J Public Health*, 2011 Dec 16; doi: 10.1093/eurpub/ckr183.

Book Chapter:

Wellington E, Gyapong J, Twum-Barima S, Aikinsand M, Britton J. GHANA. Chapter 10 in: *Tobacco Control in Africa: People, Politics and Policies*. Drope J, Ed. ISBN-10: 0 85728 437 1. http://web.idrc.ca/openbooks/510-6/#page_135.

UK Centre for Tobacco Control Studies

