



UK Centre for

Tobacco Control Studies

A UKCRC Public Health Research Centre of Excellence

April 2010 to March 2011 (annual reporting year)

Peer reviewed:

Tappin D, Shipton D, MacAskill S, Eadie D, Bauld L, Galbraith L. Smoking prevalence and smoking cessation services for pregnant women in Scotland. *Substance Abuse Treatment, Prevention, and Policy*, 2010 Jan 21;5:1. doi: 10.1186/1747-597X-5-1.

Parsons A, Begh R, Daley A, Aveyard P. Does smoking cessation after a diagnosis of early stage lung cancer influence prognosis? A systematic review of observational studies with meta-analysis. *BMJ*, 2010 Jan 21;340:b5569. doi: 10.1136/bmj.b5569.

West R, May S, McEwen A, McRobbie H, Hajek P, Vangeli E. A randomised trial of glucose tablets to aid smoking cessation. *Psychopharmacology*, 2010 Jan;207(4):631-5. doi : 10.1007/s00213-009-1692-3.

Owusu-Dabo E, Lewis S, McNeil A, Anderson S, Gilmore A, Britton J. Status of implementation of Framework Convention on Tobacco Control (FCTC) in Ghana. *BMC Public Health*, 2010 Jan 1;10:1. doi:10.1186/1471-2458-10-1.

Eadie D, MacAskill S, Heim D, Hastings G. Responding to change: How did bar workers adapt to the smoke-free legislation in Scotland? *International journal of environmental health research*, 2010 Feb;20(1):13-26. doi: 10.1080/09603120903255279.

Shahab L, Mindel J, Poulter S, West R. Hypertension and its identification among current, past and never smokers in an English population sample. *European Journal of Cardiovascular Prevention and Rehabilitation*, 2010 Feb;17(1):63-70. doi:10.1097/HJR.0b013e32832f3b42.

West R, Ussher M. Is the ten-item Questionnaire of Smoking Urges (QSU-brief) more sensitive to abstinence than shorter craving measures? *Psychopharmacology*, 2010 Feb;208(3):427-32. doi: 10.1007/s00213-009-1742-x.

Gordon R, Hastings G, Moodie C. Alcohol marketing and young people's drinking: What the evidence base suggests for policy. *Journal of Public Affairs*, 2010 Feb-May(10):88-101. doi: 10.1002/pa.338.

McEwen A, West R. The PRIME approach to giving up smoking. *Practice Nursing*, 2010 Mar; 21(3): 145-153.

Sims M, Tomkins S, Judge K, Taylor G, Jarvis MJ, Gilmore A. Trends in and determinants of second hand smoke exposure indexed by cotinine in children in England from 1996-2006. *Addiction*, 2010 Mar;105(3):543-53. doi: 10.1111/j.1360-0443.2009.02805.x

Coleman T. Do financial incentives for delivering health promotion counselling work? Analysis of smoking cessation activities stimulated by the Quality and Outcomes Framework. *BMC Public Health*, 2010 Mar 26;10:167. doi:10.1186/1471-2458-10-167.

Uhl GR, Drgon T, Johnson C, Walther D, Aveyard P, Murphy M, Johnstone EC, Munafo M. Genome wide association for smoking cessation success: participants in the patch in practice trial of nicotine replacement. *Pharmacogenomics*, 2010 Mar;11(3):357-67. doi: 10.2217/pgs.09.156.

Fix BV, O'Connor R, Hammond D, King B, McNeill A, Thrasher J, Boado M, Cummings KM, Yong H-H, Thompson ME, Hyland A. ITC spit and butts' pilot study: The feasibility of collecting biologic samples from population-based samples to evaluate policy. *Nicotine & Tob Res*, 2010 Mar;12(3):185-90. doi: 10.1093/ntr/ntp191.

Lindson N, Aveyard P, Hughes JR. Reduction versus abrupt cessation in smokers who want to quit. *Cochrane Database of Systematic Reviews*, 2010 Mar 17;(3):CD008033. doi:10.1002/14651858.CD008033.pub2.

Ratschen E, Britton J, Doody G, McNeill A. Smoking attitudes, behaviour and nicotine dependence among mental health inpatients: an exploratory study. *International Journal of Social Psychiatry*, 2010 Mar;56(2):107-18. doi: 10.1177/0020764008101855.

Moodie C, Hastings G. Tobacco packaging as promotion, *Tobacco control*, 2010 Apr;19(2):168-70. doi:10.1136/tc.2009.033449.

Shahab L, West R. Public support in England for a total ban on the sale of tobacco products. *Tobacco Control*, 2010 Apr;19(2):143-7. doi:10.1136/tc.2009.033415.

Coleman T. Randomised controlled trial: Adding live, reactive telephone counselling to self-help literature does not increase smoking cessation. *Evid Based Med*, 2010 Apr;15(2):53-4. doi:10.1136/ebm1054.

Hackshaw L, McEwen A, West R, Bauld L. Quit attempts in response to smokefree legislation in England. *Tobacco Control*, 2010 Apr;19(2):160-4. doi:10.1136/tc.2009.032656.

Lyons A, McNeill A, Chen Y, Britton J. Tobacco and tobacco branding in films most popular in the UK from 1989 to 2008. *Thorax*, 2010 May;65(5):417-22. doi:10.1136/thx.2009.130716.

Grant L, Silver K, Bauld L, Warnakulasuriya S. The experiences of young oral cancer patients in Scotland; Symptom recognition and delays in seeking professional help. *British Dental Journal*, 2010 May 22;208(10):465-71. doi:10.1038/sj.bdj.2010.450.

Martin M, Papadatou-Pastou M, Jones GV, Munafò MR. Sex and location as determinants of handedness: reply to Vuoksima and Kaprio. *Psychol Bull*, 2010 May;136(3):348-50. doi: 10.1037/a0019215.

Hargreaves K, Platt S, Amos A, Highet G, Martin C, Ritchie D, White M. The social context of change in tobacco consumption following the introduction of 'smokefree' England legislation: a qualitative, longitudinal study. *Social Science and Medicine*, 2010 Aug;71(3):459-66. Epub 2010 May 12. doi:10.1016/j.socscimed.2010.04.025.

Ritchie D, Amos A, Martin C. 'But it just has that sort of feel about it, a leper'- stigma, smoke-free legislation and public health. *Nicotine and Tobacco Research*, 2010 Jun;12(6):622-9. doi: 10.1093/ntr/ntq058.

West O, McRobbie H, Hajek P. How addictive can cigarettes be? Two case reports. *Journal of Smoking Cessation*, 2010 Jun; 5(1):102-105. doi: 10.1375/jsc.5.1.102.

Ashley D, O'Connor R, Bernert J, Watson C, Polzin G, Jain R, Hammond D, Hatsukami D, Giovino G, Cummings KM, McNeill A, Shahab L, King B, Fong G, Zhang L, zia Y, Yan X, McCraw J. Effect of differing levels of tobacco-specific nitrosamines in cigarette smoke on the levels of biomarkers in smokers. *Cancer Epidemiology, Biomarkers and Prevention*, 2010 Jun;19(6):1389-98. doi: 10.1158/1055-9965.

Munafò MR, Araya R. Cigarette smoking and depression: a question of causation. *Br J Psychiatry*, 2010 Jun;196(6):425-6. doi: 10.1192/bjp.bp.109.074880.

Langley TE, Szatkowski L, Gibson J, Huang Y, McNeill A, Coleman T, Lewis S. Validation of The Health Improvement Network (THIN) primary care database for monitoring prescriptions for smoking cessation medications. *Pharmacoepidemiol Drug Saf*, 2010 Jun;19(6):586-90. doi: 10.1002/pds.1960.

Smith KE, Fooks G, Collin J, Weishaar H, Gilmore A. Is the increasing policy use of Impact Assessment in Europe likely to undermine efforts to achieve healthy public policy? *Journal of Epidemiology and Community Health*, 2010 Jun;64(6):478-87. doi:10.1136/jech.2009.094300.

Jit M, Aveyard P, Barton P, Meads C. Predicting the lifetime benefit of school-based smoking prevention programmes. *Addiction*, 2010 Jun;105(6):1109-16. doi: 10.1111/j.1360-0443.2010.02924.x.

West R, Walia A, Hyder N, Shahab L, Michie S. Behaviour change techniques used by the English Stop Smoking Services and their associations with short-term quit outcomes. *Nicotine and Tobacco Research*, 2010 Jul;12(7):742-7. doi:10.1093/ntr/ntq074.

Jolly K, Daley A, Adab P, Lewis A, Denley J, Beach J, Aveyard P. A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. *BMC Public Health*, 2010 Jul 27;10:439. doi:10.1186/1471-2458-10-439.

Murray R, McNeill A, Lewis S, Britton J, Coleman T. Unplanned attempted to quit smoking: a qualitative exploration. *Addiction*, 2010 Jul;105(7):1299-302. doi: 10.1111/j.1360-0443.2010.02980.x.

Hajek P, Humphrey K, McRobbie H. Using group support to complement a task-based weight management programme in multi-ethnic localities of high deprivation. *Patient Education and Counselling*, 2010 Jul;80(1):135-7. doi:10.1016/j.pec.2009.10.017.

Agboola S, Coleman T, Leonardi-Bee J, McEwen A, McNeill A. Provision of relapse prevention interventions in UK NHS Stop Smoking Services: a survey. *BMC Health Service Research*, 2010 Jul 20;10:214. doi:10.1186/1472-6963-10-214.

Leventhal AM, David SP, Brightman M, Strong D, McGeary JE, Brown RA, Lloyd-Richardson EE, Munafò M, Uhl GR, Niaura R. Dopamine D4 receptor gene variation moderates the efficacy of bupropion for smoking cessation. *The Pharmacogenomics Journal*, 2010 Jul 27. doi:10.1038/tpj.2010.64.

McRobbie H, Thornley S, Bullen C, Lin R, Senior H, Laugesen M, Whittaker R, Hajek P. A randomized trial of the effects of two novel nicotine replacement therapies on tobacco withdrawal symptoms and user satisfaction. *Addiction*, 2010 Jul;105(7):1290-8. doi: 10.1111/j.1360-0443.2010.02950.x.

Lund KE, McNeill A, Scheffels J. The use of snus for quitting smoking compared with medicinal products. *Nicotine & Tobacco Research*, 2010 Aug;12(8):817-22. doi: 10.1093/ntr/ntq105.

Vangeli E, Stapleton J, West R. Residual attraction to smoking and smoker identity following smoking cessation. *Nicotine and Tobacco Research*, 2010 Aug;12(8):865-9. doi: 10.1093/ntr/ntq104.

Gardner B, West R. Public support in England for raising the price of cigarettes to fund tobacco control activities. *Tobacco Control*, 2010 Aug;19(4):331-3. doi:10.1136/tc.2009.033274.

Gordon R, Moodie C, Eadie D, Hastings G. Critical social marketing - The impact of alcohol marketing on youth drinking: Qualitative findings. *International Journal of Nonprofit and Voluntary Sector Marketing*, 2010 Aug(15):265-275. doi: 10.1002/nvsm.388.

Hajek P, Taylor T, McRobbie H. The effect of stopping smoking on perceived stress levels. *Addiction*, 2010 Aug;105(8):1466-71. doi: 10.1111/j.1360-0443.2010.02979.x.

Agboola S, McNeill A, Coleman T, Leonardi-Bee J. A systematic review of the effectiveness of smoking relapse prevention interventions for abstinent smokers. *Addiction*, 2010 Aug;105(8):1362-80. doi:10.1111/j.1360-0443.2010.02996.x.

Wilson A, Agarwal S, Bonas S, Murtagh G, Coleman T, Taub N, Chernova J. Management of smokers motivated to quit: a qualitative study of smokers and GPs. *Family Practice*, 2010 Aug;27(4):404-9. doi: 10.1093/fampra/cm027.

Robinson J, Ritchie D, Amos A, Martin C, Greaves L, Cunningham-Burley S. 'Waiting until they got home'- Gender, smoking and tobacco exposure in households in Scotland. *Social Science and Medicine*, 2010 Sep;71(5):884-90. doi:10.1016/j.socscimed.2010.04.031.

Moodie C, Mackintosh A, West R. Adolescents' awareness of, and involvement with, illicit tobacco in the United Kingdom. *Tobacco Control*, Sept 2010; 19(6), 521-522. doi: 10.1136/tc.2009.034967.

Longman J, Pritchard C, McNeill A, Csikar J, Croucher R. Accessibility of chewing tobacco products in England. *Journal of Public Health*, 2010 Sep;32(3):372-8. doi: 10.1093/pubmed/fdq035.

Mackenzie M, Koshy P, Bauld L, Tappin D. Smoking cessation during pregnancy: the influence of partners, family and friends on quitters and non-quitters. *Health and Social Care in the Community*, 2010 Sep;18(5):500-10. doi: 10.1111/j.1365-2524.2010.00926.x.

Gilmore A, Sweanor D, Branstor R. The case for OFSMOKE: how tobacco price regulation is needed to promote the health of markets, government revenue and the public. *Tobacco Control*, 2010 Oct;19(5):423-30. doi:10.1136/tc.2009.034470.

Robinson J, Amos A. A qualitative study of young people's sources of cigarettes and attempts to circumvent underage sales laws. *Addiction*, 2010 Oct;105(10):1835-43. doi: 10.1111/j.1360-0443.2010.03061.x.

Cooper J, Borland R, Yong H-H, McNeill A, Murray R, Cummings KM, O'Connor R. To what extent do smokers make spontaneous quit attempts and what are the implications for smoking cessation maintenance? Findings from the International Tobacco Control Four Country Project. *Nicotine & Tobacco Research*, 2010 Oct;12 Suppl:S51-7. doi: 10.1093/ntr/ntq052.

Borland R, Yong H-H, Blamford J, Cooper J, Cummings KM, O'Connor R, McNeill A, Zanna M. Motivational factors predict quit attempts but not maintenance of smoking cessation: Findings from the International Tobacco Control Four Country Project. *Nicotine & Tobacco Research*, 2010 Oct;12 Suppl:S4-11. doi: 10.1093/ntr/ntq050.

Munafò MR, Flint J. How reliable are scientific studies? *The British Journal of Psychiatry*, 2010 Oct;197(4):257-8. doi: 10.1192/bjp.bp.109.069849.

Munafò MR, Hitsman B. What's the matter with cue-induced craving? A commentary on Perkins. *Addiction*, 2010 Oct;105(10):1860-1. doi: 10.1111/j.1360-0443.2010.03127.x.

Raw M, McNeill A, Murray R. Case studies of tobacco dependence treatment in Brazil, England, India, South Africa and Uruguay. *Addiction*, 2010 Oct;105(10):1721-8. doi: 10.1111/j.1360-0443.2010.03043.x.

Lock K, Adams E, Pilkington P, Duckett K, Gilmore A, Marston C. Evaluating social and behavioural impacts of English smokefree legislation in different ethnic and age groups: implications for reducing smoking-related health inequalities. *Tobacco Control*, 2010 Oct;19(5):391-7. doi:10.1136/tc.2009.032318.

Cormac I, Creasey S, McNeill A, Ferriter M, D'Silva K. Impact of a total smoking ban in a high secure hospital. *The Psychiatrist*, Oct 2010;34:413-417. doi:10.1192/pb.bp.109.028571.

Brown A, Moodie C, Hastings G, MacKintosh A.M, Hassan L.M, Thrasher J. The association of normative perceptions with adolescent smoking intentions. *Journal of Adolescence*, 2010 Oct;33(5):603-14.

Gibson J, Murray R, Borland R, Cummings KM, Fong GT, Hammond D, Chen Y, McNeill A. The impact of the United Kingdom's national smoking cessation strategy on quit attempts and use of cessation services: findings from the International Tobacco Control Four Country Survey. *Nicotine & Tobacco Research*, 2010 Oct;12 Suppl:S64-71. doi: 10.1093/ntr/ntq119.

Lycett D, Hajek P, Aveyard P. Trial Protocol: randomised controlled trial of the effects of very low calorie diet, modest dietary restriction, and sequential behavioural programme on hunger, urges to smoke, abstinence and weight gain in overweight smokers stopping smoking. *Trials*, 2010 Oct 7;11:94. doi: 10.1186/1745-6215-11-94.

Coleman T, Agboola S, Leonardi-Bee J, Taylor M, McEwen A, McNeill A. Relapse prevention in UK Stop Smoking Services: Current practice, potential effectiveness and cost effectiveness. *Health Technology Assessment*, 2010 Oct;14(49):1-152, iii-iv. doi: 10.3310/hta14490.

Penton-Voak IS, Cooper RM, Roberts RE, Attwood AS, Munafò MR. Effects of acute alcohol consumption on the perception of eye gaze direction. *J Psychopharmacol*, 2010 Oct 11. doi: 10.1177/0269881110385599.

Clarke H, Flint J, Attwood AS, Munafò MR. Association of the 5-HTTLPR genotype and unipolar depression: a meta-analysis. *Psychol Med*, 2010 Nov;40(11):1767-78. doi: 10.1017/S0033291710000516.

Fidler J, West R. Enjoyment of smoking and urges to smoke as predictors of attempts and success of attempts to stop smoking: a longitudinal study. *Drug and Alcohol Dependence*, 2010 Nov 24. doi:10.1016/j.drugalcdep.2010.10.009.

Marteau TM, Munafò MR, Aveyard P, Hill C, Whitwell S, Willis TA, Crockett RA, Hollands GJ, Johnstone EC, Wright AJ, Prevost AT, Armstrong D, Sutton S, Kinmonth AL. Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. *BMC Public Health*, 2010 Nov 9;10:680. doi:10.1186/1471-2458-10-680.

Mullings EL, Donaldson LF, Melichar JK, Munafò MR. Effects of acute abstinence and nicotine administration on taste perception in cigarette smokers. *Journal of Psychopharmacol*, 2010 Nov;24(11):1709-15. doi: 10.1177/0269881109105395.

Vangeli E, Stapleton J, West R. Smoking intentions and mood preceding lapse after completion of treatment to aid cessation. *Patient Education and Counselling*, 2010 Nov;81(2):267-71. doi:10.1016/j.pec.2010.01.024.

Fidler JA, West R. Changes in smoking prevalence in 16-17 year old versus older adults following a rise in legal age of sale: findings from an English population study. *Addiction*, 2010 Nov;105(11):1984-8. doi: 10.1111/j.1360-0443.2010.03039.x.

Lindson N, Aveyard P. An updated meta-analysis of nicotine preloading for smoking cessation: investigating mediators of the effect. *Psychopharmacology*, 2010 Nov 9;214(3):579-592. doi:10.1007/s00213-010-2069-3.

Bobrova N, West R, Bobak M. Gender differences in drinking practices in middle aged and older Russians. *Alcohol and Alcoholism*, 2010 Nov-Dec;45(6):573-80. doi: 10.1093/alcalc/agq069.

Kislitsyna O, Stickley A, Gilmore A, McKee M. The social determinants of adolescent smoking in Russia in 2004. *International Journal of Public Health*. 2010 Dec;55(6):619-26. doi:10.1007/s00038-010-0196-6.

Bitton A, Raw M, Richards A, McNeill A, Rigotti N. A comparison of four international surveys of tobacco treatment provision: implications for monitoring the Framework Convention on Tobacco Control. *Addiction*, 2010 Dec;105(12):2184-91. doi: 10.1111/j.1360-0443.2010.03060.x.

Herzig DA, Tracy J, Munafò M, Mohr C. The influence of tobacco consumption on the relationship between schizotypy and hemispheric asymmetry. *J Behav Ther Exp Psychiatry*, 2010 Dec;41(4):397-408. doi:10.1016/j.jbtep.2010.04.003.

Szatkowski L, Lewis S, McNeill A, Coleman T. Is smoking status routinely recorded when patients register with a new GP? *Family Practice*, 2010 Dec;27(6):673-5. doi: 10.1093/fampra/cmq046.

Ho MK, Goldman D, Heinz A, Kaprio J, Kreek MJ, Li MD, Munafò MR, Tyndale RF. Breaking barriers in the genomics and pharmacogenetics of drug addiction. *Clinical Pharmacology & Therapeutics*, 2010 Dec;88(6):779-91. doi:10.1038/clpt.2010.175.

Powell J, Dawkins L, West R, Powell J, Pickering A. Relapse to smoking during unaided cessation: Clinical, cognitive, and motivational predictors. *Psychopharmacology*, 2010 Dec;212(4):537-49. doi: 10.1007/s00213-010-1975-8.

Tamvakas I, Amos A. These things don't happen in Greece': a qualitative study of Greek young people's attitudes to smoking, secondhand smoke and the smokefree legislation. *Health Education Research*, 2010 Dec;25(6):955-64. doi: 10.1093/her/cyq048.

Markham WA, Bridle C, Grimshaw G, Stanton A, Aveyard P. Trial protocol and preliminary results for a cluster randomised trial of behavioural support versus brief advice for smoking cessation in adolescents. *BMC Research Notes*, 2010 Dec 14;3:336. doi:10.1186/1756-0500-3-336.

Sims M, Maxwell R, Bauld L, Gilmore A. The short-term impact of smokefree legislation in England: a retrospective analysis on hospital admissions for myocardial infarction. *British Medical Journal*, 2010;340:c2161. doi:10.1136/bmj.c2161.

Holden C, Lee K, Gilmore A, Fooks G, Wander N. Trade policy, health and corporate influence: British American Tobacco and China's accession to the World Trade Organization. *International Journal of Health Services*. 2010;40(3):421-41.

Smith KE, Fooks G, Collin J, Weishaar H, Mandal S, Gilmore A. "Working the system": British American Tobacco's Influence on the European Union Treaty and Its Implications for Policy: An Analysis of Internal Tobacco Industry Documents. *PLOS*, 2010; 7(1): e1000202. doi:10.1371/journal.pmed.1000202. <http://www.plosmedicine.org/article/info%3Adoi%2F10.1371%2Fjournal.pmed.1000202>

Robinson J, Ritchie D, Amos A, Martin C, Greaves L, Cunningham-Burley S. Volunteered, negotiated, enforced: Family politics and the regulation of home smoking. *Sociology of Health and Illness*, 2011 Jan;33(1):66-80. doi: 10.1111/j.1467-9566.2010.01273.x.

Bogdanovica I, Godfrey F, McNeill A, Britton J. Smoking prevalence in the European Union: a comparison of national and transnational prevalence survey methods and results. *Tobacco Control*, 2011 Jan;20(1):e4. doi:10.1136/tc.2010.036103.

Beard E, McNeill A, Aveyard P, Michie S, West R. Use of nicotine replacement therapy for smoking reduction and during enforced temporary abstinence: a national survey of English smokers. *Addiction*, 2011 Jan;106(1):197-204. doi: 10.1111/j.1360-0443.2010.03215.x.

Coleman T, Chamberlain C, Cooper S, Leonardi-Bee J. Efficacy and safety of nicotine replacement therapy for smoking cessation in pregnancy: systematic review and meta-analysis. *Addiction*, 2011 Jan;106(1):52-61. doi: 10.1111/j.1360-0443.2010.03179.x.

Borland R, Fagerström K, Foulds J, McNeill A, Ramström L. FCTC background report on smokeless tobacco is incompatible with WHO scientific reports. *Addiction*, 2011 Jan;106(1):225-7. doi: 10.1111/j.1360-0443.2010.03250.x.

Wardle MC, Munafò MR, de Wit H. Effect of social stress during acute nicotine abstinence. *Psychopharmacology (Berl)*, 2011 Jan 15. doi: 10.1007/s00213-010-2150-y.

King BA, Hyland AJ, Borland R, McNeill A, Cummings KM. Socioeconomic variation in the prevalence, uptake, retention and removal of smoke-free policies among smokers: findings from the International Tobacco Control (ITC) Four Country Survey. *Int. J. Environ. Res. Public Health*, 2011 Jan, 8(2), 411-434; doi:10.3390/ijerph8020411.

Kasza KA, Hyland AJ, Brown A, Siahpush M, Yong H-H, McNeill A, Li L, Cummings KM. The effectiveness of tobacco marketing regulations on reducing smokers' exposure to advertising and promotion: findings from the international Tobacco Control (ITC) Four Country Survey. *Int. J. Environ. Res. Public Health*, 2011 Jan, 8(2), 321-340. doi:10.3390/ijerph8020321.

Fix BV, Hyland A, Rivard C, McNeill A, Fong GT, Borland R, Hammond D, Cummings KM. Usage patterns of stop smoking medications in Australia, Canada, the United Kingdom, and the United States: Findings from the 2006-2008 International Tobacco Control (ITC) Four Country Survey. *Int J Environ Res Public Health*, 2011 Jan;8(1):222-33. doi:10.3390/ijerph8010222.

Lund K, Scheffels J, McNeill A. Association between use of snus and quit rates for smoking: results from seven Norwegian cross-sectional studies. *Addiction*, 2011 Jan;106(1):162-7. doi: 10.1111/j.1360-0443.2010.03122.x.

Lycett D, Munafò M, Johnstone E, Murphy M, Aveyard P. Associations between weight change over 8 years and baseline body mass index in a cohort of continuing and quitting smokers. *Addiction*, 2011 Jan;106(1):188-96. doi: 10.1111/j.1360-0443.2010.03136.x.

Jones L, Hashim A, McKeever T, Cook D, Britton J, Leonardi-Bee J. Parental and Household Smoking and the Increased Risk of Bronchitis, Bronchiolitis and other Lower Respiratory Infections in Infancy: Systematic Review & Meta-Analysis. *Respiratory Research*, 2011 Jan 10;12:5. doi:10.1186/1465-9921-12-5.

Ussher M, Doshi R, Sampuran A, West R. Cardiovascular risk factors in patients with schizophrenia receiving continuous medical care. *Community Mental Health Journal*, 2011 Jan 15. doi: 10.1007/s10597-011-9376-y.

Shahab L, West R, McNeill A. A randomised controlled trial of adding expired carbon-monoxide feedback to brief stop smoking advice: evaluation of cognitive and behavioural effects. *Health Psychology*, 2011 Jan;30(1):49-57. doi: 10.1037/a0021821.

Wahed M, Goodhand J, West O, McDermott A, Hajek P, Rampton D. Tobacco dependence and awareness of health risks of smoking in patients with inflammatory bowel disease. *European Journal of Gastroenterology & Hepatology*, 2011 Jan;23(1):90-4. doi: 10.1097/MEG.0b013e32834108ce.

Moodie C, Hastings G. Making the pack the hero, tobacco industry response to marketing restrictions in the UK: Findings from a long-term audit. *International Journal of Mental Health and Addiction*, 2011 Feb;9:24-38. doi: 10.1007/s11469-009-9247-8.

Munafò MR, Freathy RM, Ring SM, St Pourcain B, Davey Smith G. Association of COMT Val108/158Met Genotype and Cigarette Smoking in Pregnant Women. *Nicotine Tob Res*, 2011 Feb;13(2):55-63. doi: 10.1093/ntr/ntq209.

Britton J, McNeill A, Arnott D, West R, Godfrey C. Drugs and harm to society. *The Lancet*, 2011 Feb 12;377(9765):551. doi:10.1016/S0140-6736(11)60192-X.

Kotz D, Wesseling G, Aveyard P, van Schayck OCP. Smoking cessation and development of respiratory health in smokers screened with normal spirometry. *Respiratory Medicine*, 2011 Feb;105(2):243-9. doi:10.1016/j.rmed.2010.07.010.

Michie S, Churchill S, West R. Identifying evidence-based competences required to deliver behavioural support for smoking cessation. *Ann of Behavioral Medicine*, 2011 Feb;41(1):59-70. doi:10.1007/s12160-010-9235-z.

Watson BJ, Wilson S, Griffin L, Kalk NJ, Taylor LG, Munafò MR, Lingford-Hughes AR, Nutt DJ. A pilot study of the effectiveness of D: -cycloserine during cue-exposure therapy in abstinent alcohol-dependent subjects. *Psychopharmacology (Berl)*, 2011 Feb 12.

Leonardi-Bee J, Jere ML, Britton J. Exposure to parental and sibling smoking and the risk of smoking. *Thorax*, 2011 Feb 15. doi:10.1136/thx.2010.153379.

Wee LH, West R, Awang B, Shahab L. Predictors of 3-month abstinence in smokers attending stop-smoking clinics in Malaysia. *Nicotine and Tobacco Research*, 2011 Feb;13(2):151-6. doi: 10.1093/ntr/ntq221.

Shahab L, McEwen A, West R. Acceptability and effectiveness for withdrawal symptom relief of a novel oral nicotine delivery device: a randomised crossover trial. *Psychopharmacology*, 2011 Feb 12. doi: 10.1007/s00213-011-2204-9.

Ussher M, Aveyard P, Reid F, West R, Evans P, Clow A, Hucklebridge F, Fuller J, Ibison J, Steptoe A. A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. *Psychopharmacology*, 2011 Feb 9. doi:10.1007/s00213-011-2191-x.

Bauld L, Boyd K, Briggs A, Chesterman J, Ferguson J, Judge K, Hiscock R. One year outcomes for smokers accessing group-based and pharmacy-led smoking treatment services: a cost-effectiveness study. *Nicotine and Tobacco Research*, 2011 Feb;13(2):135-45. doi: 10.1093/ntr/ntq222.

Quinn C, Lewis S, Edwards R, McNeill A. Economic evaluation of the removal of point of sale tobacco promotional displays in Ireland. *Tobacco Control*, 2011 Mar;20(2):151-5. doi:10.1136/tc.2010.039602.

McNeill A, Lewis S, Quinn C, Mulcahy M, Clancy L, Hastings G, Edwards R. Evaluation of the removal of point of sale tobacco displays in Ireland. *Tobacco Control*, 2011 Mar;20(2):137-43. doi:10.1136/tc.2010.038141.

Langley TE, Huang Y, McNeill A, Coleman T, Szatkowski L, Lewis S. Prescribing of smoking cessation medication in England since the introduction of varenicline. *Addiction*, 2011 Jul;106(7):1319-24. doi: 10.1111/j.1360-0443.2011.03426.x.

Hiscock R, Judge K, Bauld L. Social inequalities in quitting: What factors mediate the relationship between socioeconomic position and smoking cessation? *Journal of Public Health*, 2011 Mar;33(1):39-47. doi: 10.1093/pubmed/fdq097.

Le Houezec J, McNeill A, Britton J. Tobacco, nicotine and harm reduction. *Drug Alcohol Rev*, 2011 Mar;30(2):119-23. Doi:10.1111/j.1465-3362.2010.00264.x.

Bauld L. The impact of smokefree legislation in England: Evidence review. *Department of Health*, 2011 March 9.

Bajoga U, Lewis S, McNeill A, Szatkowski L. Does the introduction of smokefree legislation lead to a decrease in population smoking prevalence? *Addiction*, 2011 Jul;106(7):1346-54. doi: 10.1111/j.1360-0443.2011.03446.x.

Jones L, Atkinson O, Longman J, Coleman T, McNeill A, Lewis SA. The motivators and barriers to a smoke-free home among disadvantaged caregivers: identifying the positive levers for change. *Nicotine & Tobacco Research*, 2011 Mar 29. doi: 10.1093/ntr/ntr030.

Munafò MR, Roberts N, Bauld L, Leonards U. Plain packaging increases visual attention to health warnings on cigarette packs in non-smokers and weekly smokers but not daily smokers. *Addiction*, 2011 Mar 14. doi: 10.1111/j.1360-0443.2011.03430.x.

Bolam B, Gunnall D, West R. Does smoking cessation cause depression and anxiety? Findings from the ATTEMPT cohort. *Nicotine and Tobacco Research*, 2011 Mar;13(3):209-14. doi: 10.1093/ntr/ntq244.

Mackillop J, Amlung MT, Few LR, Ray LA, Sweet LH, Munafò MR. Delayed reward discounting and addictive behavior: a meta-analysis. *Psychopharmacology*, 2011 Mar 4. doi: 10.1007/s00213-011-2229-0.

David SP, Johnstone EC, Churchman M, Aveyard P, Murphy MF, Munafò MR. Pharmacogenetics of Smoking Cessation in General Practice: Results from the Patch II and Patch in Practice Trials. *Nicotine Tob Res*, 2011 Mar;13(3):157-67. doi: 10.1093/ntr/ntq246.

Tobler A.L, Komro K.A, Dabroski A, Aveyard P, Markham W. Preventing the link between SES and high-risk behaviors: "Value-added" education, drug use and delinquency in high-risk, urban schools. *Prevention Science*, 2011 Mar 1. doi: 10.1007/s11121-011-0206-9.

Guo B, Fielding A, Sutton S, Aveyard P. Psychometric properties of the processes of change scales for smoking cessation in UK adolescents. *International Journal of Behavioural Medicine*, 2011 Mar;18(1):71-8. doi: 10.1007/s12529-010-9085-x.

Fidler J, Shahab L, West R. Strength of urges to smoke as a measure of severity of cigarette dependence: comparison with the Fagerstrom Test for Nicotine Dependence and its components. *Addiction*, 2011 Mar;106(3):631-8. doi: 10.1111/j.1360-0443.2010.03226.x.

Smit, E, Fidler J, West R. The role of desire, duty and intention in predicting attempts to quit smoking. *Addiction*, 2011 Apr;106(4):844-51. doi: 10.1111/j.1360-0443.2010.03317.x.

Langley TE, Huang Y, Lewis S, McNeill A, Coleman T, Szatkowski L. Prescribing of nicotine replacement therapy to adolescents in England. *Addiction*, 2011 Aug;106(8):1513-9. doi: 10.1111/j.1360-0443.2011.03449.x.

Michie S, Hyder N, Walia A, West R. Development of a taxonomy of behaviour change techniques used in individual behavioural support for smoking cessation. *Addictive Behaviors*, 2011 Apr;36(4):315-9. doi: 10.1016/j.addbeh.2010.11.016.

Wee LH, Shahab L, Bulgiba A, West R. Stop smoking clinics in Malaysia: characteristics of attendees and predictors of success. *Addictive Behaviors*, 2011 Apr;36(4):400-3. doi:10.1016/j.addbeh.2010.11.011.

Non peer reviewed:

Gilmore A, Savell E, Collin J. Public health, corporations and the New Responsibility Deal: promoting partnerships with vectors of disease? *Journal of Public Health*, 2011 Mar;33(1):2-4. doi: 10.1093/pubmed/fdr008.

Lindson N. Cochrane Reviews- in their own words: Reduction versus abrupt cessation in smokers who want to quit. *Journal of Evidence-Based Medicine*, 2010 May;3(2):133. doi: 10.1111/j.1756-5391.2010.01082.x.

Coleman T. Motivation, physical activity and smoking cessation. [Comment] *Patient, Education and Counseling*, 2010 May;79(2):141-2. doi:10.1016/j.pec.2010.03.007.

Knai C, Gilmore A, Lock K, McKee M. Funding research for public health: the importance of independence. [Comment] *The Lancet*, 2010 Jul; 376: 75-77. doi:10.1016/S0140-6736(09)62063-8.

Hajek P, West R. Commentary on Smolkowski et al. Why is it important to assume that non-responders in tobacco cessation trials have relapsed? *Addiction*, 2010 Jun;105(6):1016-7. doi: 10.1111/j.1360-0443.2010.02964.x.

Garman K, Tavakoly B, Gilmore A. UK: price-based promotions target poor. *Tobacco Control* 2010 Aug;19(4):264-5. doi:10.1136/tc.2010.038653.

Aveyard P, Amos A, Bauld L, Britton J, Coleman T, Docherty G, Godfrey C, Hajek P, Hastings G, McNeill A, Lewis S, Munafo M, West R. Is the UK's coalition Government serious about public health? [Correspondence] *The Lancet*, 2010 Aug 21;376(9741):589. doi:10.1016/S0140-6736(10)61288-3.

Bauld L, Ferguson J, Jones C, McEwen A, Sumnall H, Woolfall K. Evaluation of a drop in rolling group model of smoking cessation: final report. Report submitted to the *Roy Castle Lung Cancer Foundation*, September 2010.

West R, McNeill A, Britton J, Bauld L, Raw M, Hajek P, Arnott D, Jarvis M, Stapleton J. Should smokers be offered assistance with stopping? *Addiction*, 2010 Nov;105(11):1867-9. doi: 10.1111/j.1360-0443.2010.03111.x.

Aveyard P. New obesity pill: new hopes, old fears. [Correspondence] *The Lancet*, 2010 Dec 18;376(9758):2042. doi:10.1016/S0140-6736(10)62281-7.

Yates T, McKee M, Pickett K.E, Dockrell M, Gilmore A, Hastings G, Maryon-Davis A, Macara A. Public health advances. Concerns about tobacco control. *BMJ*, 2010 Dec 20;341:c7294. doi: 10.1136/bmj.c7294.

Greene NM, Taylor EM, Gage SH, Munafo MR. Industry funding and placebo quit rate in clinical trials of nicotine replacement therapy: a commentary on Etter et al. (2007). *Addiction*, 2010 Dec;105(12):2217-8; author reply 2219. doi: 10.1111/j.1360-0443.2010.03155.x.

Aveyard P, Parsons A, Begh R. Smoking cessation 4: antidepressants for smoking cessation – bupropion and nortriptyline. *Primary Care Cardiovascular Journal*, 2010;3:32-34. doi: 10.3132/pccj.2010.005.

Ratschen E, Britton J, McNeill A. The Smoking Culture in Psychiatry – Time for change. *British Journal of Psychiatry*, 2011 Jan;198:6-7. doi:10.1192/bjp.bp.110.081372.

Parsons A, Lycett D, Aveyard P. Response to Spring et al: What is the best method to assess the effect of combined interventions for smoking cessation and post-cessation weight gain? [Correspondence] *Addiction*, 2011 Feb 7;106:675-6. doi: 10.1111/j.1360-443.2010.03255.x.

Hastings G, Sherson N. [Editorial] Alcohol marketing to children. *British Medical Journal*, 2011 Mar 24;342:d1767. doi: 10.1136/bmj.d1767.

Le Houezec J, McNeill A, Britton J. Tobacco, nicotine and harm reduction. *Drug and Alcohol Review*, 2011 Mar;30(2):119-23. doi: 10.1111/j.1465-3362.2010.00264.x.

Hastings, G. Foreword, this is a child protection measure in Counter Measures: preventing youth smoking in Scotland. ASH Scotland, 2011, pp. 7.

Book Chapters:

Hastings G, Angus K, Ling P. Evidence from tobacco industry documents on the role of the media in tobacco marketing in *Use of the Media to Promote and Discourage Tobacco Use*, NCI Monograph 20 edn, National Cancer Institute, Bethesda, MD. NIH Publication No. 09-6366.

Hastings G, Cairns G. Food and beverage marketing to children in *Preventing Childhood Obesity: Evidence, Policy and Practice*. Eds. Waters E, Swinburn B, Seidell J, Uauy R. April 2010, Wiley-Blackwell. ISBN: 978-1-4051-5889-3.

Kenny P, Hastings G. Alcohol advertising in Ireland: The challenge of responsibility and regulation. Chapter 28 in Hogan J, Donnelly P.F, O'Rourke B.K. (eds), *Irish Business & Society: Governing, participating and transforming in the 21st century*. Oct 2010. Gill & Macmillan.

Gartner C, Hall W, McNeill A. Chapter 9. *Harm reduction policies for tobacco*. In: *European Monitoring Centre for Drugs and Drug Addiction*. EMCDDA Scientific Monograph Series No 10. Harm reduction: evidence, impacts and challenges. Luxembourg: Publications Office of the European Union, 2010. ISBN: 978-92-9168-419-9.

Hervey T, McKee M, Gilmore A. Public Health Policies. In: Mossialos E, Permanand G, Baeten R, Hervey T (eds). *Health systems governance in Europe: The role of EU law and policy*. Cambridge: Cambridge University Press 2010, pp.231-281. Chapter DOI: 10.1017/CBO9780511750496.002. Guest Editors. Baker A, McNeill A. Mental Health and Substance Use (RMHS) 4/2, Special Issue: Smoking and Mental Health 2011

Hastings G, Lowry R. Social marketing: a tale of beer, marriage and public health in *Handbook of Behavioral Medicine*, Springer Science & Business Media, New York, pp. 275-287. ISBN: 978-0-387-09487-8.

Hastings G, McVey D. Critical social marketing - role of marketing in a consumer world in *Social Marketing and Public Health: Theory and Practice*, eds. J. French, C. Blair-Stevens, D. McVey & R. Merritt, Oxford University Press.

Britton J. Smoking Cessation - Chapter 5 in ABC of COPD (Second Edition). Currie GP. Ed. Wiley-Blackwell BMJ Books, London 2011. ISBN: 978-1-4443-3388-6.

Pino J.M.R, Garcia M.B.L, Viedma del Jesus M.I, Gallopel-Morvan K, Hastings G, Moodie, C. 2010, *Efectos de las Esquelas Sanitarias Visuales y el Envase Generico en el descenso del Consumo de Tabaco: un estudio desde la perspectiva del marketing social*, Godel S.L., Spain.

Merritt, Oxfor Bletcher E, Hastings G, Angus K (in press). Chapter 9: Impact of Tobacco Industry Marketing Communications on Tobacco Use. In National Cancer Institute. The Economics of Tobacco and Tobacco Control. Tobacco Control Monograph No. 21. Bethesda, MD: U.S. Department of Health and Human Services, National Institutes of Health, National Cancer Institute.

